

	1. Product and Company Identification		
Product Code:	07000		
Product Name:	High Speed Spray Buff		
Company Name:	Genlabs 5568 Schaefer Ave. Chino, CA 91710	Phone Number: 1 (909)591-8451	
Web site address:	www.genlabscorp.com		
Emergency Contact:	Chemtrec	1 (800)424-9300	
Recommended Use: Intended Use:	Spray Buff Maintainer & Restorer For sale to, use and storage by service persons only.		

2. Hazards Identification

Serious Eye Damage/Eye Irritation, Category 2A Aquatic Toxicity (Chronic), Category 3 Acute Toxicity: Oral, Category 5 Skin Corrosion/Irritation, Category 3 Acute Toxicity: Inhalation, Category 5 Target Organ Systemic Toxicity (single exposure), Category 3 Aquatic Toxicity (Acute), Category 2



GHS Signal Word:	Warning
GHS Hazard Phrases:	Causes serious eye irritation.
	Harmful to aquatic life with long lasting effects.
	May be harmful if swallowed.
	Causes mild skin irritation.
	May be harmful if inhaled.
	May cause respiratory irritation.
	Toxic to aquatic life.
	Very toxic to aquatic life with long lasting effects.
GHS Precaution Phrases:	Wash hands thoroughly after handling.
	Keep out of reach of children.
	Avoid release to the environment.
	Wear protective gloves and eye/face protection as specified by the supplier or the
	competent authority.
	Avoid breathing fumes and spray mist.
	Use only outdoors or in a well-ventilated area.
GHS Response Phrases:	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	If eye irritation persists, get medical attention immediately.
	If on skin (or in hair): Wash with plenty of soap and water. If skin irritation occurs, get medical attention immediately.
	If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
GHS Storage and Disposal Phrases:	Dispose of contents and container according to the local, city, state and federal regulations.
	Store in cool dry place at room temperature away from direct sunlight.
	GHS for



			Supers	edes Revision: 02/17/2015
Potential Heat	alth Effects			
(Acute and C	Chronic):			
Inhalation:	Inhalation: May cause respiratory irritation. May cause allergic respiratory reaction.			ction.
Skin Contact: May cause skin irritation.				
Eye Contact	:	Causes eye irritation.		
Ingestion:		May cause gastrointestina	l irritation with nausea, vomiting and dia	rrhea.
	3	. Composition/Info	ormation on Ingredients	
CAS #	Hazardous Com	ponents (Chemical Name)	Concentration	
25987-66-0	Acrylic acid polyn	ner	Proprietary	
111-90-0	Diethylene glycol	monoethyl ether	Proprietary	
25265-77-4	Texanol		Proprietary	
78-51-3	Ethanol, 2-Butoxy	/-, phosphate (3:1)	Proprietary	
1314-13-2	Zinc oxide		Proprietary	
9004-82-4	Sodium lauryl eth	er sulfate	Proprietary	
		4. First A	id Measures	
Emergency a	nd First Aid			
Procedures:				
In Case of In	halation:		air. If breathing is difficult, give oxygen.	Get medical aid.
			d move to fresh air immediately.	
In Case of Sk	kin Contact:	Flush skin with plenty of soap and water. Get medical aid if irritation develops and persists.		
In Case of Ey	/e Contact:	Immediately flush eyes wit	h plenty of water. Get medical attention,	, if irritation persists.
In Case of In	gestion:	Never give anything by mouth to an unconscious person. If victim is conscious and alert, give 2-4 cupfuls of milk or water. If swallowed, wash out mouth with water provided person is conscious. Call a physician. If conscious and alert, rinse mouth and drink 2-4		
		cupfuls of milk or water.		
Note to Phys	sician:	Treat symptomatically and		
		<u> </u>	nting Measures	
Flash Pt:		NE		
Explosive Li			L: N/A	
Autoignition		NE		
		a:Use water spray, alcohol f		
Fire Fighting	Instructions:	As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Use water spray to keep fire-exposed containers cool.		Ouring a fire, irritating
Flammable F	Properties and	No data available.		

Hazards:



		Supersedes Revision: 02/17/2015			
		6. Accide	ental Release Mea	isures	
Steps To Be Taken In CaseUse proper personal protective equipment as indicated in Section 8.Material Is Released OrSpills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then placed by suitable container. Remove all sources of ignition. Provide ventilation. Prevent runof entering drains, sewers, or streams.				r earth), then place in	
		7. Ha	andling and Stora	ge	
Precautions To Be Taken in Handling:Wash thoroughly after handling. Remove contaminated clothing and wash before re Use with adequate ventilation. Avoid contact with eyes, skin, and clothing. Avoid ing and inhalation.					
Precautions Storing:	To Be Taken in	Store in a cool, dry	y, well-ventilated area awa	y from incompatible subs	stances.
	8	. Exposure C	controls/Personal	Protection	
CAS #	Partial Chemica	l Name	OSHA TWA	ACGIH TWA	Other Limits
25987-66-0	Acrylic acid polyn	ner	No data.	No data.	No data.
111-90-0	Diethylene glycol monoethyl ether		No data.	No data.	No data.
25265-77-4	Texanol		No data.	No data.	No data.
78-51-3	51-3 Ethanol, 2-Butoxy-, phosphate (3:1)		No data.	No data.	No data.
1314-13-2	3-2 Zinc oxide		PEL: 5 (fume); 15 (dust) mg/m3	TLV: 2 mg/m3 (R) STEL: 10 mg/m3 (R)	No data.
9004-82-4	Sodium lauryl eth	ner sulfate	No data.	No data.	No data.
	Respiratory Equipment Always use a NIOSH approved respirator when necessary. (Specify Type):				
Eye Protecti	on:	Safety glasses.			
Protective G	loves:	Wear appropriate protective gloves to prevent skin exposure.			
Other Protective Clothing: Wear appropria			e protective clothing to prevent skin exposure.		
	Engineering Controls No special ventilation requirements. General room ventilation is adequate. (Ventilation etc.):			juate.	
Work/Hygier Practices:	k/Hygienic/Maintenance Wash thoroughly after handling. Wash contaminated clothing before reuse. ctices:			reuse.	
		9. Physical	and Chemical Pr	operties	
Physical Sta	tes:	[]Gas [X]L	iquid [] Solid		

Physical States:	[]Gas [X]Liquid []Solid
Appearance and Odor:	opaque pink color liquid with no fragrance.
Melting Point:	NE
Boiling Point:	>= 212.00 F
Decomposition Temperature:	NE
Autoignition Pt:	NE
Flash Pt:	NE
Explosive Limits:	LEL: N/A UEL: N/A
Specific Gravity (Water = 1):	~ 1.015
Density:	~ 8.46 LB/GA



				S	upersedes Revis	sion: 02/17/2015
Bulk density:		NE				
Vapor Pressu mm Hg):	ıre (vs. Air or	NE				
•	y (vs. Air = 1):	NE				
Evaporation	Rate:	NE				
Solubility in V	Nater:	100%				
Saturated Va	por	NE				
Concentratio	n:					
Viscosity:		NE				
pH:		~ 7.50 - 9.00				
Percent Vola	tile:	No data.				
VOC / Volum	e:	0.0000 G/L				
Particle Size:		NE				
Heat Value:		NE				
Corrosion Ra	ite:	NE				
		10. Stability and	Reactivity	,		
Stability:		Unstable [] Stable [X]				
Conditions To Avoid - Extremes of temperature and direct sunlight. Strong acids, Strong oxidizing agents Instability:			gagents.			
Incompatibili Avoid:	Incompatibility - Materials To Strong oxidizing agents, magnesium, chlorinated rubber.					
Hazardous Decomposition Or Carbon monoxide, Carbon dioxide, Thermal decomposition may produce toxic fumes or				oxic fumes of		
Byproducts: phosphorus oxides and/or phosphine. toxic fumes of zinc oxide.						
Possibility of Hazardous Will occur [] Will not occur [X] Reactions:						
Conditions To Avoid - None. Hazardous Reactions:						
Tauisslauiss	. Information .	11. Toxicological I	nformatio	n		
-	I Information:	No data available.				
		CAS# 111-90-0: Not listed by ACG listed by ACGIH, IARC, NTP, or C IARC, NTP, or CA Prop 65.				
CAS #	CAS # Hazardous Components (Chemical Name)		NTP	IARC	ACGIH	OSHA
25987-66-0	Acrylic acid poly	rmer	n.a.	n.a.	n.a.	n.a.
111-90-0	111-90-0 Diethylene glycol monoethyl ether		n.a.	n.a.	n.a.	n.a.
25265-77-4			n.a.	n.a.	n.a.	n.a.
78-51-3		xy-, phosphate (3:1)	n.a.	n.a.	n.a.	n.a.
1314-13-2	Zinc oxide		n.a.	n.a.	n.a.	n.a.
		hor oulfoto				
9004-82-4 Sodium lauryl ether sulfate			n.a.	n.a.	n.a.	n.a.



12. Ecological Information

No data available.

13. Disposal Considerations

Waste Disposal Method:

Dispose of contents and container according to the local, city, state and federal

regulations.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not regulated as a hazardous material. DOT Hazard Class: UN/NA Number: LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: Not Regulated.

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Not Regulated.

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Not Regulated.

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
25987-66-0	Acrylic acid polymer	No	No	No
111-90-0	Diethylene glycol monoethyl ether	No	No	Yes-Cat. N230
25265-77-4	Texanol	No	No	No
78-51-3	Ethanol, 2-Butoxy-, phosphate (3:1)	No	No	Yes-Cat. N230
1314-13-2	Zinc oxide	No	No	Yes-Cat. N982
9004-82-4	Sodium lauryl ether sulfate	No	No	No

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
25987-66-0	Acrylic acid polymer	CA PROP.65: No; CA TAC, Title 8: No
111-90-0	Diethylene glycol monoethyl ether	CA PROP.65: No; CA TAC, Title 8: TAC
25265-77-4	Texanol	CA PROP.65: No; CA TAC, Title 8: No
78-51-3	Ethanol, 2-Butoxy-, phosphate (3:1)	CA PROP.65: No; CA TAC, Title 8: TAC
1314-13-2	Zinc oxide	CA PROP.65: No; CA TAC, Title 8: TAC, Title 8
9004-82-4	Sodium lauryl ether sulfate	CA PROP.65: No; CA TAC, Title 8: No



16. Other Information			
Hazard Rating System: HMIS:	HEALTH1FLAMMABILITY0PHYSICAL0PPEB	Flammability Instability Health NFPA: Special Hazard	
Revision Date:	07/27/2018		
Additional Information Abou This Product:	t PPE B: safety glasses; glov	'es.	
Company Policy or Disclaimer:	The manufacturer believes the data set forth are accurate and makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion.		