

	1. Product and Company	Identification		
Product Code:	01000			
Product Name:	Non-Ammoniated Wax Stripper			
Company Name:	Genlabs	Phone Number:		
	5568 Schaefer Ave.	1 (909)591-8451		
	Chino, CA 91710			
Web site address:	www.genlabscorp.com			
Emergency Contact:	Chemtrec	1 (800)424-9300		
Recommended Use:	Floor Stripper			
Intended Use:	For sale to, use and storage by service persons only.			

2. Hazards Identification

Acute Toxicity: Oral, Category 4 Skin Corrosion/Irritation, Category 2 Serious Eye Damage/Eye Irritation, Category 2A



GHS Signal Word:	Warning
GHS Hazard Phrases:	Harmful if swallowed.
	Causes skin irritation.
	Causes serious eye irritation.
GHS Precaution Phrases:	Wash hands thoroughly after handling.
	Wear protective gloves, protective clothing, eye protection, face protection.
	Keep out of reach of children.
GHS Response Phrases:	If swallowed: Call a Poison Center or doctor if you feel unwell.
	If on skin (or in hair): Wash with plenty of soap and water.
	If skin irritation occurs, get medical attention immediately.
	Take off contaminated clothing.
	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
	If eye irritation persists, get medical attention immediately.
GHS Storage and Disposal Phrases:	Dispose of contents and container according to the local, city, state and federal regulations.
	Store in cool dry place at room temperature away from direct sunlight.
Potential Health Effects	Prolonged or repeated skin contact may cause dermatitis.
(Acute and Chronic):	
Inhalation:	Dizziness, headaches and irritation. Avoid breathing vapors or mists.
Skin Contact:	Causes skin irritation. May cause skin rash (in milder cases), and cold and clammy skin with cyanosis or pale color.
Eye Contact:	Corrosive to the eyes and may cause severe damage including blindness. Avoid any eye contact.
Ingestion:	May cause severe gastrointestinal tract irritation with nausea, vomiting and possible burns. Causes burns.



3. Composition/Information on Ingredients						
CAS #	Hazardous Components (Chemical Name)		Concentration			
111-76-2	Ethanol, 2-Butoxy-		Proprietary			
1310-73-2	2 Sodium hydroxide		Proprietary			
78-96-6	1-Amino-2-Propa	nol	Proprietary			
6834-92-0	Silicic acid (H2Si	D3), Disodium salt	Proprietary			
		4. First Ai	d Measures			
Emergency a Procedures:	nd First Aid					
In Case of Inhalation:		Remove from exposure and move to fresh air immediately. If breathing is difficult, give oxygen. If unconscious, call a physician.				
In Case of Skin Contact:		Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Consult a physician.				
In Case of Ey	e Contact:	Rinse thoroughly with plenty	of water for at least 15 minutes and consult a physician.			
In Case of Ing	gestion:	If victim is conscious and al	ert, give 2-4 cupfuls of milk or water. Consult a physician.			
Signs and Symptoms Of Bu Exposure:		Burning sensation, Cough, Wheezing, Laryngitis, Shortness of breath.				
-		Treat symptomatically and s	supportively.			
		5. Fire Fight	ting Measures			
Flash Pt:		NE				
Explosive Limits:		LEL: N/A N.E.	UEL: N/A N.E.			
Autoignition Pt:		NE				
Suitable Extinguishing Media: Use water spray, dry chemical, carbon dioxide, or chemical foam.						
Fire Fighting	ghting Instructions:As in any fire, wear a self-contained breathing apparatus in pressure-demand,MSHA/NIOSH (approved or equivalent), and full protective gear.					
Flammable P Hazards:	mmable Properties and No data available.					
		6. Accidental R	elease Measures			
-	o Be Taken In CaseUse proper personal protective equipment as indicated in Section 8.I Is Released OrSpills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Avoid runoff into storm sewers and ditches which lead to waterways.					
7. Handling and Storage						
Precautions Handling:	To Be Taken in	n Do not get in eyes, on skin, or on clothing. Do not ingest or inhale. Wash thoroughly after handling. Keep away from heat and flame. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed.				
Precautions Storing:	Precautions To Be Taken in Store in a cool, dry, well-ventilated area away from incompatible substances. Storing:					

8. Exposure Controls/Personal Protection



Supersedes Revision				Supersedes Revision:	04/17/2015		
CAS #	Partial Chemical Name		OSHA TWA	ACGIH T	VA Other	Limits	
111-76-2	Ethanol, 2-Butoxy-		PEL: 50 ppm	TLV: 20 pp	om No data	a.	
1310-73-2	Sodium hydroxide		PEL: 2 mg/m3	CEIL: 2 mg	/m3 No data	a.	
78-96-6	1-Amino-2-Propanol		No data.	No data.	No data	a.	
6834-92-0	Silicic acid (H2Si	O3), Disodium salt	No data.	No data.	No data	a.	
		Always use a NIOSH approved respirator when necessary.					
Eye Protection:		Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.					
Protective G	loves:	Wear appropriate protective gloves to prevent skin exposure. Handle with gloves.					
Other Protec	tive Clothing:	Wear appropriate p	rotective clothing to	o prevent skin expo	osure.		
Engineering Controls (Ventilation etc.):		Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.					
Work/Hygienic/Maintenance Practices:			Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
		9. Physical	and Chemica	I Properties			
Physical Sta	tes:	[]Gas [X]Lio	uid [] Solid				
Appearance	and Odor:	Yellow color liquid v	vith solvent odor.				
Melting Point:		NE					
Boiling Point:		>= 212.00 F					
Decomposition Temperature:		NE					
Autoignition Pt:		NE					
Flash Pt:		NE					
Explosive Limits:		LEL: N/A N.E	E. UEL: N/A	N.E.			
Specific Gravity (Water = 1):		~ 1.040					
Density:		~ 8.67 LB/GA					
Bulk density	:	NE					
-	ure (vs. Air or	NE					
mm Hg):							
-	ty (vs. Air = 1):	NE					
Evaporation Rate: NE							
•		100%					
Saturated Va	-	NE					
Concentratio	on:						
Viscosity:		NP					
pH: ~ 11.50 - 12.50							
Percent Volatile:		No data.					
VOC / Volum	ie:	57.0000 G/L					



Particle Size:		NE			_		
Heat Value:		NE					
Corrosion Ra	ate:	NE					
		10. Stability		activity			
Stability:		Unstable [] Stable [X]				
Conditions T Instability:	tions To Avoid - None. ility:						
Incompatibility - Materials ToStrong oxidizing agents, Strong bases, Aluminum, Water, Metals. acids, AluAvoid:Soft Metals. gelatin, nitromethane, leather, flammable liquids, organic halog Tin/tin oxides.							
Hazardous Decomposition Or Carbon monoxide, Toxic fumes of sodium oxide, Nitrogen oxides, formed underByproducts:conditions. Sodium oxides, silicon oxides.			under fire				
Possibility of Hazardous Will occur [] Will not occur [X] Reactions:							
Conditions To Avoid - Hazardous Reactions:		None.					
		11. Toxicolog	gical Info	ormatio	n		
Toxicological Information:		No data available.					
Carcinogenicity/Other California Information: NTP: Not IARC: No CAS# 78- NTP: No identified OSHA: N		California: Not listed. NTP: Not listed. ARC: Not listed. CAS# 1310-73-2: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 78-96-6: Not listed by ACGIH, IARC, NTP, or CA Prop 65. Carcinogenicity. NTP: No component of this product present at levels greater than or equal to 0.1% is dentified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is dentified as a carcinogen or potential carcinogen by OSHA.					
CAS #	Hazardous Com	ponents (Chemical Name)		NTP	IARC	ACGIH	OSHA
111-76-2	Ethanol, 2-Butoxy-			n.a.	3	A3	n.a.
1310-73-2	Sodium hydroxide			n.a.	n.a.	n.a.	n.a.
78-96-6	1-Amino-2-Propanol			n.a.	n.a.	n.a.	n.a.
6834-92-0 Silicic acid (H2SiO3), Disodium salt			n.a.	n.a.	n.a.	n.a.	
12. Ecological Information							
	No data available.						
13. Disposal Considerations							

Waste Disposal Method:

Dispose of contents and container according to the local, city, state and federal regulations.



14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: NOT REGULATED FOR DOMESTIC TRANSPORT. DOT Hazard Class: UN/NA Number: LAND TRANSPORT (Canadian TDG): TDG Shipping Name: Not Regulated. MARINE TRANSPORT (IMDG/IMO): IMDG/IMO Shipping Name: Not Regulated.

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Not Regulated.

15. Regulatory Information

CAS #	Hazardous Components (Chemical Name)
111-76-2	Ethanol, 2-Butoxy-
1310-73-2	Sodium hydroxide
78-96-6	1-Amino-2-Propanol
6834-92-0	Silicic acid (H2SiO3), Disodium salt

Other US EPA or State Lists

CA PROP.65: No; CA TAC, Title 8: TAC, Title 8 CA PROP.65: No; CA TAC, Title 8: TAC, Title 8 CA PROP.65: No; CA TAC, Title 8: No CA PROP.65: No; CA TAC, Title 8: No

